Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	25.0%	8.3%
	20-24	Count	1	0	1
		% within Sex	12.5%	.0%	8.3%
	25-29	Count	3	1	4
		% within Sex	37.5%	25.0%	33.3%
	30-34	Count	3	1	4
		% within Sex	37.5%	25.0%	33.3%
	35-39	Count	1	0	1
		% within Sex	12.5%	.0%	8.3%
	45-49	Count	0	1	1
		% within Sex	.0%	25.0%	8.3%
Total		Count	8	4	12
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	6	2	8
		% within Sex	75.0%	50.0%	66.7%
	African American	Count	1	1	2
		% within Sex	12.5%	25.0%	16.7%
	Hispanic	Count	1	1	2
		% within Sex	12.5%	25.0%	16.7%
Total		Count	8	4	12
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	6	0	6
Exposure		% within Sex	75.0%	.0%	50.0%
	IDU	Count	0	1	1
		% within Sex	.0%	25.0%	8.3%
	M-M & IDU	Count	1	0	1
		% within Sex	12.5%	.0%	8.3%
	Not Classified	Count	1	3	4
		% within Sex	12.5%	75.0%	33.3%
Total		Count	8	4	12
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	66.7%	66.7%
	African American	Count	2	2
		% within Adult-Ped	16.7%	16.7%
	Hispanic	Count	2	2
		% within Adult-Ped	16.7%	16.7%
Total		Count	12	12
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	4	0	4
Diagnosis		% within Sex	28.6%	.0%	19.0%
	25-29	Count	2	4	6
		% within Sex	14.3%	57.1%	28.6%
	30-34	Count	2	0	2
		% within Sex	14.3%	.0%	9.5%
	35-39	Count	1	2	3
		% within Sex	7.1%	28.6%	14.3%
	40-44	Count	3	0	3
		% within Sex	21.4%	.0%	14.3%
	50-54	Count	1	1	2
		% within Sex	7.1%	14.3%	9.5%
	55-59	Count	1	0	1
		% within Sex	7.1%	.0%	4.8%
Total		Count	14	7	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	5	2	7
		% within Sex	35.7%	28.6%	33.3%
	African American	Count	2	1	3
		% within Sex	14.3%	14.3%	14.3%
	Hispanic	Count	7	4	11
		% within Sex	50.0%	57.1%	52.4%
Total		Count	14	7	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	9	0	9
Exposure		% within Sex	64.3%	.0%	42.9%
	IDU	Count	2	1	3
		% within Sex	14.3%	14.3%	14.3%
	M-M & IDU	Count	1	0	1
		% within Sex	7.1%	.0%	4.8%
	Heterosexual Contact	Count	1	4	5
		% within Sex	7.1%	57.1%	23.8%
	Not Classified	Count	1	2	3
		% within Sex	7.1%	28.6%	14.3%
Total		Count	14	7	21
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	7
		% within Adult-Ped	33.3%	33.3%
	African American	Count	3	3
		% within Adult-Ped	14.3%	14.3%
	Hispanic	Count	11	11
		% within Adult-Ped	52.4%	52.4%
Total		Count	21	21
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	5.9%	1.9%
	2-4	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
	13-19	Count	0	2	2
		% within Sex	.0%	11.8%	3.8%
	20-24	Count	7	0	7
		% within Sex	20.0%	.0%	13.5%
	25-29	Count	6	5	11
		% within Sex	17.1%	29.4%	21.2%
	30-34	Count	7	4	11
		% within Sex	20.0%	23.5%	21.2%
	35-39	Count	8	2	10
		% within Sex	22.9%	11.8%	19.2%
	40-44	Count	3	1	4
		% within Sex	8.6%	5.9%	7.7%
	45-49	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
	50-54	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
	55-59	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	18	6	24
		% within Sex	51.4%	35.3%	46.2%
	African American	Count	7	3	10
		% within Sex	20.0%	17.6%	19.2%
	Hispanic	Count	10	8	18
		% within Sex	28.6%	47.1%	34.6%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	20	0	20
Exposure		% within Sex	57.1%	.0%	38.5%
	IDU	Count	4	3	7
		% within Sex	11.4%	17.6%	13.5%
	M-M & IDU	Count	2	0	2
		% within Sex	5.7%	.0%	3.8%
	Heterosexual Contact	Count	2	5	7
		% within Sex	5.7%	29.4%	13.5%
	Not Classified	Count	6	8	14
		% within Sex	17.1%	47.1%	26.9%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	24	24
		% within Adult-Ped	.0%	48.0%	46.2%
	African American	Count	0	10	10
		% within Adult-Ped	.0%	20.0%	19.2%
	Hispanic	Count	2	16	18
		% within Adult-Ped	100.0%	32.0%	34.6%
Total		Count	2	50	52
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	5.9%	1.9%
	2-4	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
	13-19	Count	0	2	2
		% within Sex	.0%	11.8%	3.8%
	20-24	Count	7	0	7
		% within Sex	20.0%	.0%	13.5%
	25-29	Count	6	5	11
		% within Sex	17.1%	29.4%	21.2%
	30-34	Count	7	4	11
		% within Sex	20.0%	23.5%	21.2%
	35-39	Count	8	2	10
		% within Sex	22.9%	11.8%	19.2%
	40-44	Count	3	1	4
		% within Sex	8.6%	5.9%	7.7%
	45-49	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
	50-54	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
	55-59	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	5.9%	1.9%
	13-19	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
	20-24	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
	25-29	Count	9	3	12
		% within Sex	25.7%	17.6%	23.1%
	30-34	Count	4	4	8
		% within Sex	11.4%	23.5%	15.4%
	35-39	Count	3	4	7
		% within Sex	8.6%	23.5%	13.5%
	40-44	Count	10	2	12
		% within Sex	28.6%	11.8%	23.1%
	45-49	Count	4	1	5
		% within Sex	11.4%	5.9%	9.6%
	50-54	Count	1	0	1
		% within Sex	2.9%	.0%	1.9%
	55-59	Count	2	1	3
		% within Sex	5.7%	5.9%	5.8%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	18	6	24
		% within Sex	51.4%	35.3%	46.2%
	African American	Count	7	3	10
		% within Sex	20.0%	17.6%	19.2%
	Hispanic	Count	10	8	18
		% within Sex	28.6%	47.1%	34.6%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	20	0	20
Exposure		% within Sex	57.1%	.0%	38.5%
	IDU	Count	4	3	7
		% within Sex	11.4%	17.6%	13.5%
	M-M & IDU	Count	2	0	2
		% within Sex	5.7%	.0%	3.8%
	Heterosexual Contact	Count	2	5	7
		% within Sex	5.7%	29.4%	13.5%
	Not Classified	Count	6	8	14
		% within Sex	17.1%	47.1%	26.9%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	2.9%	5.9%	3.8%
Total		Count	35	17	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	24	24
		% within Adult-Ped	.0%	48.0%	46.2%
	African American	Count	0	10	10
		% within Adult-Ped	.0%	20.0%	19.2%
	Hispanic	Count	2	16	18
		% within Adult-Ped	100.0%	32.0%	34.6%
Total		Count	2	50	52
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	25-29	Count	0	1	1
Diagnosis		% within Sex	.0%	50.0%	7.1%
	30-34	Count	2	0	2
		% within Sex	16.7%	.0%	14.3%
	35-39	Count	5	0	5
		% within Sex	41.7%	.0%	35.7%
	40-44	Count	3	0	3
		% within Sex	25.0%	.0%	21.4%
	45-49	Count	2	0	2
		% within Sex	16.7%	.0%	14.3%
	70+	Count	0	1	1
		% within Sex	.0%	50.0%	7.1%
Total		Count	12	2	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	9	0	9
		% within Sex	75.0%	.0%	64.3%
	African American	Count	1	1	2
		% within Sex	8.3%	50.0%	14.3%
	Hispanic	Count	2	1	3
		% within Sex	16.7%	50.0%	21.4%
Total		Count	12	2	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7	0	7
Exposure		% within Sex	58.3%	.0%	50.0%
	IDU	Count	1	1	2
		% within Sex	8.3%	50.0%	14.3%
	M-M & IDU	Count	1	0	1
		% within Sex	8.3%	.0%	7.1%
	Heterosexual Contact	Count	1	1	2
		% within Sex	8.3%	50.0%	14.3%
	Not Classified	Count	2	0	2
		% within Sex	16.7%	.0%	14.3%
Total		Count	12	2	14
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped	
			Adult/	Total
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	64.3%	64.3%
	African American	Count	2	2
		% within Adult-Ped	14.3%	14.3%
	Hispanic	Count	3	3
		% within Adult-Ped	21.4%	21.4%
Total		Count	14	14
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	1	0	1
Diagnosis		% within Sex	8.3%	.0%	6.7%
	30-34	Count	5	0	5
		% within Sex	41.7%	.0%	33.3%
	35-39	Count	2	1	3
		% within Sex	16.7%	33.3%	20.0%
	40-44	Count	2	1	3
		% within Sex	16.7%	33.3%	20.0%
	50-54	Count	1	1	2
		% within Sex	8.3%	33.3%	13.3%
	55-59	Count	1	0	1
		% within Sex	8.3%	.0%	6.7%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	6	2	8
		% within Sex	50.0%	66.7%	53.3%
	African American	Count	1	1	2
		% within Sex	8.3%	33.3%	13.3%
	Hispanic	Count	5	0	5
		% within Sex	41.7%	.0%	33.3%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7	0	7
Exposure		% within Sex	58.3%	.0%	46.7%
	IDU	Count	1	1	2
		% within Sex	8.3%	33.3%	13.3%
	M-M & IDU	Count	2	0	2
		% within Sex	16.7%	.0%	13.3%
	Heterosexual Contact	Count	0	1	1
		% within Sex	.0%	33.3%	6.7%
	Not Classified	Count	2	1	3
		% within Sex	16.7%	33.3%	20.0%
Total		Count	12	3	15
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	53.3%	53.3%
	African American	Count	2	2
		% within Adult-Ped	13.3%	13.3%
	Hispanic	Count	5	5
		% within Adult-Ped	33.3%	33.3%
Total		Count	15	15
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	3.7%	.6%
	20-24	Count	5	7	12
		% within Sex	3.7%	25.9%	7.4%
	25-29	Count	25	2	27
		% within Sex	18.5%	7.4%	16.7%
	30-34	Count	30	2	32
		% within Sex	22.2%	7.4%	19.8%
	35-39	Count	28	6	34
		% within Sex	20.7%	22.2%	21.0%
	40-44	Count	23	5	28
		% within Sex	17.0%	18.5%	17.3%
	45-49	Count	6	1	7
		% within Sex	4.4%	3.7%	4.3%
	50-54	Count	8	2	10
		% within Sex	5.9%	7.4%	6.2%
	55-59	Count	7	0	7
		% within Sex	5.2%	.0%	4.3%
	65-69	Count	2	0	2
		% within Sex	1.5%	.0%	1.2%
	70+	Count	1	1	2
		% within Sex	.7%	3.7%	1.2%
Total		Count	135	27	162
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	74	9	83
		% within Sex	54.8%	33.3%	51.2%
	African American	Count	19	9	28
		% within Sex	14.1%	33.3%	17.3%
	Hispanic	Count	41	9	50
		% within Sex	30.4%	33.3%	30.9%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.7%	.0%	.6%
Total		Count	135	27	162
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	81	0	81
Exposure		% within Sex	60.0%	.0%	50.0%
	IDU	Count	11	8	19
		% within Sex	8.1%	29.6%	11.7%
	M-M & IDU	Count	14	0	14
		% within Sex	10.4%	.0%	8.6%
	Hemophiliac	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Heterosexual Contact	Count	7	11	18
		% within Sex	5.2%	40.7%	11.1%
	Transfusion	Count	4	1	5
		% within Sex	3.0%	3.7%	3.1%
	Not Classified	Count	16	6	22
		% within Sex	11.9%	22.2%	13.6%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	3.7%	.6%
Total	_	Count	135	27	162
	VE-4	% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	83	83
		% within Adult-Ped	.0%	51.6%	51.2%
	African American	Count	0	28	28
		% within Adult-Ped	.0%	17.4%	17.3%
	Hispanic	Count	1	49	50
		% within Adult-Ped	100.0%	30.4%	30.9%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.6%	.6%
Total		Count	1	161	162
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	3	4	7
Diagnosis		% within Sex	4.7%	26.7%	8.9%
	25-29	Count	10	2	12
		% within Sex	15.6%	13.3%	15.2%
	30-34	Count	18	1	19
		% within Sex	28.1%	6.7%	24.1%
	35-39	Count	15	2	17
		% within Sex	23.4%	13.3%	21.5%
	40-44	Count	9	3	12
		% within Sex	14.1%	20.0%	15.2%
	45-49	Count	4	0	4
		% within Sex	6.3%	.0%	5.1%
	50-54	Count	2	2	4
		% within Sex	3.1%	13.3%	5.1%
	55-59	Count	3	0	3
		% within Sex	4.7%	.0%	3.8%
	70+	Count	0	1	1
		% within Sex	.0%	6.7%	1.3%
Total		Count	64	15	79
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
		·	Male	Female	Total
Current	20-24	Count	1	0	1
Age		% within Sex	1.6%	.0%	1.3%
	25-29	Count	2	2	4
		% within Sex	3.1%	13.3%	5.1%
	30-34	Count	10	4	14
		% within Sex	15.6%	26.7%	17.7%
	35-39	Count	19	2	21
		% within Sex	29.7%	13.3%	26.6%
	40-44	Count	15	1	16
		% within Sex	23.4%	6.7%	20.3%
	45-49	Count	11	2	13
		% within Sex	17.2%	13.3%	16.5%
	50-54	Count	1	1	2
		% within Sex	1.6%	6.7%	2.5%
	55-59	Count	2	2	4
		% within Sex	3.1%	13.3%	5.1%
	60-64	Count	3	0	3
		% within Sex	4.7%	.0%	3.8%
	Unknown	Count	0	1	1
		% within Sex	.0%	6.7%	1.3%
Total		Count	64	15	79
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	31	7	38
		% within Sex	48.4%	46.7%	48.1%
	African American	Count	9	5	14
		% within Sex	14.1%	33.3%	17.7%
	Hispanic	Count	24	3	27
		% within Sex	37.5%	20.0%	34.2%
Total		Count	64	15	79
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	37	0	37
Exposure		% within Sex	57.8%	.0%	46.8%
	IDU	Count	5	5	10
		% within Sex	7.8%	33.3%	12.7%
	M-M & IDU	Count	4	0	4
		% within Sex	6.3%	.0%	5.1%
	Heterosexual Contact	Count	5	7	12
		% within Sex	7.8%	46.7%	15.2%
	Transfusion	Count	1	0	1
		% within Sex	1.6%	.0%	1.3%
	Not Classified	Count	11	3	14
		% within Sex	17.2%	20.0%	17.7%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	1.6%	.0%	1.3%
Total		Count	64	15	79
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	38	38
		% within Adult-Ped	48.1%	48.1%
	African American	Count	14	14
		% within Adult-Ped	17.7%	17.7%
	Hispanic	Count	27	27
		% within Adult-Ped	34.2%	34.2%
Total		Count	79	79
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Victoria

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	3.1%	.8%
	2-4	Count	1	0	1
		% within Sex	1.0%	.0%	.8%
	13-19	Count	0	2	2
		% within Sex	.0%	6.3%	1.5%
	20-24	Count	10	4	14
		% within Sex	10.1%	12.5%	10.7%
	25-29	Count	16	7	23
		% within Sex	16.2%	21.9%	17.6%
	30-34	Count	25	5	30
		% within Sex	25.3%	15.6%	22.9%
	35-39	Count	23	4	27
		% within Sex	23.2%	12.5%	20.6%
	40-44	Count	12	4	16
		% within Sex	12.1%	12.5%	12.2%
	45-49	Count	5	1	6
		% within Sex	5.1%	3.1%	4.6%
	50-54	Count	3	3	6
		% within Sex	3.0%	9.4%	4.6%
	55-59	Count	4	0	4
		% within Sex	4.0%	.0%	3.1%
	70+	Count	0	1	1
		% within Sex	.0%	3.1%	.8%
Total		Count	99	32	131
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
		•	Male	Female	Total
Current	5-12	Count	0	1	1
Age		% within Sex	.0%	3.1%	.8%
	13-19	Count	1	0	1
		% within Sex	1.0%	.0%	.8%
	20-24	Count	2	1	3
		% within Sex	2.0%	3.1%	2.3%
	25-29	Count	11	5	16
		% within Sex	11.1%	15.6%	12.2%
	30-34	Count	14	8	22
		% within Sex	14.1%	25.0%	16.8%
	35-39	Count	22	6	28
		% within Sex	22.2%	18.8%	21.4%
	40-44	Count	25	3	28
		% within Sex	25.3%	9.4%	21.4%
	45-49	Count	15	3	18
		% within Sex	15.2%	9.4%	13.7%
	50-54	Count	2	1	3
		% within Sex	2.0%	3.1%	2.3%
	55-59	Count	4	3	7
		% within Sex	4.0%	9.4%	5.3%
	60-64	Count	3	0	3
		% within Sex	3.0%	.0%	2.3%
	Unknown	Count	0	1	1
		% within Sex	.0%	3.1%	.8%
Total		Count	99	32	131
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	49	13	62
		% within Sex	49.5%	40.6%	47.3%
	African American	Count	16	8	24
		% within Sex	16.2%	25.0%	18.3%
	Hispanic	Count	34	11	45
		% within Sex	34.3%	34.4%	34.4%
Total		Count	99	32	131
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	57	0	57
Exposure		% within Sex	57.6%	.0%	43.5%
	IDU	Count	9	8	17
		% within Sex	9.1%	25.0%	13.0%
	M-M & IDU	Count	6	0	6
		% within Sex	6.1%	.0%	4.6%
	Heterosexual Contact	Count	7	12	19
		% within Sex	7.1%	37.5%	14.5%
	Transfusion	Count	1	0	1
		% within Sex	1.0%	.0%	.8%
	Not Classified	Count	17	11	28
		% within Sex	17.2%	34.4%	21.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	1.0%	.0%	.8%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	1.0%	3.1%	1.5%
Total	<u> </u>	Count	99	32	131
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Victoria

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	62	62
		% within Adult-Ped	.0%	48.1%	47.3%
	African American	Count	0	24	24
		% within Adult-Ped	.0%	18.6%	18.3%
	Hispanic	Count	2	43	45
		% within Adult-Ped	100.0%	33.3%	34.4%
Total		Count	2	129	131
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Victoria